

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	46939	((370/395.5) or (370/466) or (370/467) or (370/401) or (370/352) or (370/389) or (370/392) or (370/474) or (370/400) or (370/393) or (370/394) or (370/395.1) or (370/395.31) or (370/395.32) or (370/395.52) or (370/395.53) or (370/469) or (370/235) or (370/252) or (709/245) or (709/238) or (709/233) or (709/213) or (709/242) or (709/229) or (709/247) or (709/230) or (709/228) or (709/249) or (709/224) or (709/235) or (709/233) or (709/217) or (709/249) or (709/206)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:01
L2	134	L1 and (backbone or "backbone network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:28
L3	25	L1 and (backbone or "backbone network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:29
L4	44	L1 and (backbone or "backbone network" or "ISP" or "ISP network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:29
L5	22	L1 and (backbone or "backbone network" or "ISP" or "ISP network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header) and (relay or "relay destination")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:30
L6	22	L1 and (backbone or "backbone network" or "ISP" or "ISP network") and (tunnel or "logical tunnel") and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header) and (relay or "relay destination")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:30

## EAST Search History

L7	7	L1 and (backbone or "backbone network" or "ISP" or "ISP network") and (tunnel or "logical tunnel") and "user data" and "control packet" and (store or stored or storing or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:30
L8	1	L1 and (backbone or "backbone network" or "ISP" or "ISP network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (convert\$4 NEAR destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:31
L9	1	L1 and (backbone or "backbone network" or "ISP" or "ISP network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (converting NEAR destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:32
L10	1	L1 and (backbone or "backbone network" or "ISP" or "ISP network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (convert\$4 NEAR address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:33
L11	0	L1 and (backbone or "backbone network" or "ISP" or "ISP network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (convert\$4 ADJ address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:33
L12	13	L1 and (backbone or "backbone network" or "ISP" or "ISP network") and (multicast or "multicast network") and (convert\$4 ADJ address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:33
L13	6	L1 and (backbone or "backbone network" or "ISP" or "ISP network" or "public network") and (multicast or "multicast network") and (converting NEAR destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:34
L14	9	L1 and (backbone or "backbone network" or "ISP" or "ISP network" or "public network") and (multicast or "multicast network") and (convert\$4 NEAR destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:34
L15	1	L1 and (backbone or "backbone network" or "ISP" or "ISP network" or "public network") and (multicast or "multicast network") and ("data link layer" or "data link" or "layer 2") and (memory or "storage unit" or storage) and "determination unit" and "destination address" and "broadcast address" and ("network layer" or "layer 3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:34

## EAST Search History

L16	18	L1 and (backbone or "backbone network" or "ISP" or "ISP network" or "public network") and (multicast or "multicast network") and ("data link layer" or "data link" or "layer 2") and (memory or "storage unit" or storage) and (tunnel or "logical tunnel") and "destination address" and "broadcast address" and ("network layer" or "layer 3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:34
L17	20	L1 and (backbone or "backbone network" or "ISP" or "ISP network" or "public network") and ("data link layer" or "data link" or "layer 2") and (memory or "storage unit" or storage) and (tunnel or "logical tunnel") and "destination address" and "broadcast address" and ("network layer" or "layer 3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:35
L18	0	L1 and (backbone or "backbone network" or "ISP" or "ISP network" or "public network") and "unicast" and "relay unit" and "determination unit" and "central processing unit" and "control processing unit"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:35
L19	0	L1 and (backbone or "backbone network" or "ISP" or "ISP network" or "public network") and "unicast" and "relay unit" and "determination unit" and ("central processing unit" or CPU) and "control processing unit"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:35
L20	0	L1 and (backbone or "backbone network" or "ISP" or "ISP network" or "public network") and "unicast" and "relay unit" and "determination unit" and ("central processing unit" or CPU) and "control processing unit" and (storage or "storage control unit")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:36
L21	1	L1 and (backbone or "backbone network" or "ISP" or "ISP network" or "public network") and "address conversion unit" and "determination unit" and "forwarding unit" and "distribution unit"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/03 10:36
L22	905	(tunnel or "logical tunnel") and (network or "backbone network") and (relay or "data relay" or "data relaying") and "packet"	US-PGPUB	OR	OFF	2006/08/03 10:26

## EAST Search History

L23	22	(tunnel or "logical tunnel") and (network or "backbone network") and ("data relay" or "data relaying") and "packet"	US-PGPUB	OR	OFF	2006/08/03 10:27
L24	1	"logical tunnel" and (network or "backbone network") and ("data relay" or "data relaying") and "packet"	US-PGPUB	OR	OFF	2006/08/03 10:27
L25	1	((backbone or "backbone network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address").CLM.	US-PGPUB	OR	OFF	2006/08/03 10:29
L26	1	((backbone or "backbone network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header)).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:29
L27	1	((backbone or "backbone network" or "ISP" or "ISP network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header)).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:29
L28	1	((backbone or "backbone network" or "ISP" or "ISP network") and "tunnel" and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header) and (relay or "relay destination")).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:30
L29	1	((backbone or "backbone network" or "ISP" or "ISP network") and (tunnel or "logical tunnel") and ("data link layer" or "data link" or "layer 2") and "destination address" and ((add\$3 or remov\$3) NEAR header) and (relay or "relay destination")).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:30
L30	1	((backbone or "backbone network" or "ISP" or "ISP network") and (tunnel or "logical tunnel") and "user data" and "control packet" and (store or stored or storing or storage)).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:30
L31	1	((backbone or "backbone network" or "ISP" or "ISP network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (convert\$4 NEAR destination)).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:32

## EAST Search History

L32	1	((backbone or "backbone network" or "ISP" or "ISP network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (converting NEAR destination)).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:33
L33	1	((backbone or "backbone network" or "ISP" or "ISP network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (convert\$4 NEAR address)).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:33
L34	0	((backbone or "backbone network" or "ISP" or "ISP network") and (tunnel or "logical tunnel") and (multicast or "multicast network") and (convert\$4 ADJ address)).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:33
L35	0	((backbone or "backbone network" or "ISP" or "ISP network") and (multicast or "multicast network") and (convert\$4 ADJ address)).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:33
L36	1	((backbone or "backbone network" or "ISP" or "ISP network" or "public network") and (multicast or "multicast network") and (converting NEAR destination)).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:34
L37	1	((backbone or "backbone network" or "ISP" or "ISP network" or "public network") and (multicast or "multicast network") and (convert\$4 NEAR destination)).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:34
L38	1	((backbone or "backbone network" or "ISP" or "ISP network" or "public network") and (multicast or "multicast network") and ("data link layer" or "data link" or "layer 2") and (memory or "storage unit" or storage) and "determination unit" and "destination address" and "broadcast address" and ("network layer" or "layer 3")).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:34
L39	1	((backbone or "backbone network" or "ISP" or "ISP network" or "public network") and (multicast or "multicast network") and ("data link layer" or "data link" or "layer 2") and (memory or "storage unit" or storage) and (tunnel or "logical tunnel") and "destination address" and "broadcast address" and ("network layer" or "layer 3")).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:35

## EAST Search History

L40	1	((backbone or "backbone network" or "ISP" or "ISP network" or "public network") and ("data link layer" or "data link" or "layer 2") and (memory or "storage unit" or storage) and (tunnel or "logical tunnel") and "destination address" and "broadcast address" and ("network layer" or "layer 3")).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:35
L41	0	((backbone or "backbone network" or "ISP" or "ISP network" or "public network") and "unicast" and "relay unit" and "determination unit" and "central processing unit" and "control processing unit").CLM.	US-PGPUB	OR	OFF	2006/08/03 10:35
L42	0	((backbone or "backbone network" or "ISP" or "ISP network" or "public network") and "unicast" and "relay unit" and "determination unit" and ("central processing unit" or CPU) and "control processing unit").CLM.	US-PGPUB	OR	OFF	2006/08/03 10:35
L43	0	((backbone or "backbone network" or "ISP" or "ISP network" or "public network") and "unicast" and "relay unit" and "determination unit" and ("central processing unit" or CPU) and "control processing unit" and (storage or "storage control unit")).CLM.	US-PGPUB	OR	OFF	2006/08/03 10:36
L44	1	((backbone or "backbone network" or "ISP" or "ISP network" or "public network") and "address conversion unit" and "determination unit" and "forwarding unit" and "distribution unit").CLM.	US-PGPUB	OR	OFF	2006/08/03 10:36





Welcome United States Patent and Trademark Office

IEEE Xplore# Search History

Search Session History

IEEE XPLORE GUIDE SUPPORT

Thu, 3 Aug 2006, 9:45:23 AM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

#1 ((logical and tunnel and network )<in>metadata)

5

#2 ((logical and tunnel and network and relaying )<in>metadata)

0

#3 ((logical and tunnel and network and relay )<in>metadata)


0

#4 ((logical and tunnel and network and packet)<in>metadata)

3

#5 ((logical and tunnel and network and packet and public)<in>metadata)

0



Help Contact Us Privacy & Security IEEE.org  
Copyright 2006 IEEE - All Rights Reserved